

RECEIVED

2014 DEC -2 P 2: 08

TOWN CLERK'S OFFICE  
WEST NEW YORK, N.J.

# MEMO

**TAX COLLECTOR'S OFFICE**

**TO: CARMELA RICCIE, RMC**

**FROM: KERRI A. TIERNEY** 

**DATE: DECEMBER 2, 2014**

**TRACKING NO: 5440**

**RE: REQUEST FOR PUBLIC RECORDS (JOHN HEINIS)**

**Attached you will find an account ledger print showing all taxes are current and there are no outstanding tax liens.**

FBC: - TAX ACCOUNT INQUIRY -

Account : 192600 Block/Lot/Qual: 053 018 Prp.Cd  
 Owner Name: ALVARADO, NOEMI Bank Code : 4A  
 Location : 6029-3 HUDSON AV 2013 Yr.Tax: 12,701.50 Deduc  
 Size /Land: 50X100 / 125,000 2014 Yr.Tax: 12,781.72 0  
 Value/Impr: 191,000 / 66,000 -PAY DATE-

-----[12/02/14]-----

YR.Q.TYP	-BILLED-	-PAID-	-TAX DUE-	-INTEREST-	BALANCE	TRAN.DATE
13.1.R	3,084.65	3,084.65	0.00	0.00	0.00	2/19/13
13.2.R	3,084.65	3,084.65	0.00	0.00	0.00	5/02/13
13.3.R	3,266.10	3,266.10	0.00	0.00	0.00	8/13/13
13.4.R	3,266.10	3,266.10	0.00	0.00	0.00	11/07/13
14.1.R	3,175.38	3,175.38	0.00	0.00	0.00	2/05/14
14.2.R	3,175.37	3,175.37	0.00	0.00	0.00	4/07/14
14.3.R	3,215.49	3,215.49	0.00	0.00	0.00	9/22/14
14.4.R	3,215.48	3,215.48	0.00	0.00	0.00	9/22/14
15.1.R	3,195.43	0.00	3,195.43	0.00	3,195.43	2/01/15
15.2.R	3,195.43	0.00	3,195.43	0.00	3,195.43	5/01/15

- CONTINUED NEXT PAGE -

DATA OK(Pg;Ad;Dt;Hs;Lg;+/-;N;E) [ 0.00 0.00 0.00]Cur Due

[ All Chgs ]

< NO MORTGAGE ON FILE >

[ Cont'd Delq: No Since 1997 2 Acum.Prnc.Paid: 0.00 ]

# West New York Fire Prevention

## Department of Public Safety

428 60<sup>th</sup> St. Room 23 West New York, NJ 07093

Office: 201-295-5220 Fax: 201-295-8163

To: Carmela Riccio, Town Clerk

From: Frank Martinez, Fire Official

Date: December 4, 2014

Subject: Records Concerning Violations

Address: 6029 Hudson Avenue

**Tracking Number: 5440**

Please be advised the address of the above property according to our records at this time has:

1. Outstanding violations at his time
2. No outstanding fines at this time
3. No open permits at this time

If any other information is needed please contact our office.

Respectfully Submitted,



Frank Martinez

RECEIVED  
2014 DEC -4 A 10:18  
TOWN CLERK'S OFFICE  
TOWN OF WEST NEW YORK, N.J.



**Bureau of Fire Safety**  
Department of Public Safety  
428-60<sup>th</sup> Street Room 23  
Town of West New York, NJ. 07093

(201) 295-5220

Frank Martinez  
Fire Official

Fax (201) 295-8163

Date: 12/04/2014

Page: 1

Registration No.: [REDACTED]

To: Jardin Infantil Day Care  
6029 Hudson Ave.  
West New York, New Jersey 07093

**NOTICE OF IMMINENT HAZARD  
and  
ORDER TO TAKE CORRECTIVE ACTION**

Type of Use: AB01  
Inspector: Danessa Real  
Inspection Date: November 25, 2014  
Premises: Jardin Infantil Day Care  
6029 Hudson Ave.  
West New York, New Jersey 07093

Block/Lot:

YOU ARE HEREBY NOTIFIED THAT an inspection by the Town of West New York Bureau of Fire Safety disclosed violations of the Uniform Fire Code (N.J.A.C. 5:70-1 et. seq.) promulgated pursuant to the New Jersey Uniform Fire Safety Act (N.J.S.A. 52:27D-192 et. seq.), and Town of West New York local ordinance, which constitute an IMMINENT HAZARD TO PUBLIC HEALTH, SAFETY, OR WELFARE. These violations are specified on the accompanying "Violations Report" page(s).

\* \* \* \* \*

Due to the violations listed on the accompanying page(s), YOU ARE HEREBY ORDERED by the Fire Official to take the action regarding the above referenced premises as specified in the space below:

**==> Vacate the 6029 Hudson Ave of/in the above referenced building, structure, or premises by 12:00 AM on November 26, 2014.**

You are advised that the Fire Code imposes Liability on the owner for the actual costs of fire suppression where a violation directly or indirectly results in a fire.

**REINSPECTION:**

TAKE NOTICE THAT, pursuant to the Uniform Fire Code, WITHIN 48 HOURS of receiving written notice from the owner/agent stating that the violation(s) requiring vacation or closure have been abated or that removal has been completed, the Town of West New York Bureau of Fire Safety will undertake a reinspection. If this reinspection confirms that the violation(s) have been abated, or removal completed, this order will be rescinded.

By: Frank Martinez  
Frank Martinez, Fire Official

**APPEAL RIGHTS**

See the attachment for information concerning your administrative appeal rights, and a description of authorized penalties.

# VIOLATIONS

Premises: Jardin Infantil Day Care  
 6029 Hudson Ave.  
 West New York, New Jersey 07093

Registration No. [REDACTED]  
 Inspection Date: November 25, 2014  
 Initial Inspector: \_\_\_\_\_  
 Print Name: Danessa Real  
 Page number: 3

Owner/Agent: Gladys Rodriguez  
 3510 Bergenline Ave.  
 Union City, NJ 07087

Date:

Inspector:


The violations cited on the above premises are as follows:

Number	Description (Maintenance: 6 Retrofit: 0)	Abate by	U/A	U/A	U/A
1.	Location: Building Nature: Fire Alarm System Test required as per NFPA 72 requirements without deficiencies. Code Section: N.J.A.C. 5:70-3,907.20.2	12/16/2014			
2.	Location: Building Nature: Emergency Lighting must be Maintained and Tested Code Section: N.J.A.C. 5:70-3,604.1	12/16/2014			
3.	Location: Throughout Daycare Nature: Fire Extinguishers must be installed and maintained Code Section: N.J.A.C. 5:70-3,906.2	12/16/2014			
4.	Location: Office Nature: Fire Safety Evacuation Plan Needed Code Section: N.J.A.C. 5:70-3,404.2	12/16/2014			
5.	Location: Rear Exit Nature: Means of egress must be Safe and Operable Code Section: N.J.A.C. 5:70-3,1027	12/16/2014			
6.	Location: Rear Exit Nature: Egress Doors must Open without Special Knowledge or Key Code Section: N.J.A.C. 5:70-3,1008.1.8	12/25/2014			

Key: The numbering of violations is for identification purposes only and shall not be construed as bearing in any way on the seriousness of any violation.

"U" Unabated - Violation uncorrected.

"A" Abated - Violation corrected.

Exception: Devices or equipment that are inaccessible for safety considerations shall be tested during scheduled shutdowns where approved by the fire code official, but not less than every 18 months.

Violation #03: Emergency Lighting must be Maintained and Tested

604.1 Scope. Emergency and standby power systems required by this code or the building subcode of the Uniform Construction Code shall be maintained in accordance with this code, NFPA 110 and NFPA 111. Existing installations shall be maintained in accordance with the original approval.

Violation #04: Fire Extinguishers must be installed and maintained

906.2 General requirements. Portable fire extinguishers shall be selected, installed and maintained in accordance with this section and NFPA 10.

Exceptions:

- 1) The travel distance to reach an extinguisher shall not apply to the spectator seating portions of Group A-5 occupancies.
- 2) Thirty-day inspections shall not be required and maintenance shall be allowed to be once every three years for dry-chemical or halogenated agent portable fire extinguishers that are supervised by a listed and approved electronic monitoring device, provided that all of the following conditions are met:
  - 2.1) Electronic monitoring shall confirm that extinguishers are properly positioned, properly charged and unobstructed.
  - 2.2) Loss of power or circuit continuity to the electronic monitoring device shall initiate a trouble signal.
  - 2.3) The extinguishers shall be installed inside of a building or cabinet in a noncorrosive environment.

TABLE 906.1  
ADDITIONAL REQUIRED PORTABLE FIRE EXTINGUISHERS

[please refer to print edition for Table Information]

Violation #05: Fire Safety Evacuation Plan Needed

404.2 Where required. An approved fire safety and evacuation plan shall be prepared and maintained for the following occupancies and buildings.

- 1) Group A, other than Group A occupancies used exclusively for purposes of religious worship that have an occupant load less than 2,000.
- 2) Group B buildings having an occupant load of 500 or more persons or more than 100 persons above or below the lowest level of exit discharge.
- 3) Group E.
- 4) Group H.
- 5) Group I.
- 6) Group R-1.
- 7) Group R-2 college and university buildings.
- 8) Therapeutic residences of Group R-2, R-3 and R-4.
- 9) High-rise buildings.



**Bureau of Fire Safety**  
Department of Public Safety  
428-60<sup>th</sup> Street Room 23  
Town of West New York, NJ. 07093

(201) 295-5220

Frank Martinez  
Fire Official

Fax (201) 295-8163

Registration No.: [REDACTED]  
Municipality: West New York  
County: Hudson County  
Inspector: Danessa Real  
Inspected: November 25, 2014  
Page: 1

To: Jardin Infantil Day Care  
6029 Hudson Ave.  
West New York, New Jersey 07093

## NOTICE OF VIOLATIONS and ORDER TO CORRECT

Premises: Jardin Infantil Day Care  
Address: 6029 Hudson Ave.,  
West New York, New Jersey 07093  
Phone: 201-854-0200 Type of use: AB01 Day Care Center  
Block/Lot:

BUILDING OWNER  
Name: Noemi Alvardo  
Address: 460-7th St.  
Fairview, NJ  
Phone:

AGENT

TENANT/OPERATOR  
Gladys Rodriguez  
3510 Bergenline Ave.  
Union City, NJ 07087  
[REDACTED]

YOU ARE HEREBY NOTIFIED THAT an inspection by the Town of West New York Bureau of Fire Safety disclosed violations of the Uniform Fire Code (N.J.A.C. 5:70-1 et. seq.), promulgated pursuant to the New Jersey Uniform Fire Safety Act (N.J.S.A. 52:27D-192 et. seq.). The violations are specified on the accompanying "Violations Report" page(s).

YOU ARE HEREBY ORDERED by the FIRE OFFICIAL to correct the violations listed on the accompanying "Violations Report" page(s) within the time, or by the date specified. If a reinspection discloses that violations have not been corrected, and an extension has NOT been requested and granted, you will be subject to penalties of up to \$5,000 per violation per day, or as otherwise authorized by the Act and Bureau Regulations.

IN ADDITION, the ACT imposes liability on the owner for the actual costs of fire suppression where a violation directly or indirectly results in fire.

If you do not understand this order, need assistance, or desire further information about this order, please call the Bureau of Fire Safety at (201) 295-5220.

BY ORDER OF THE FIRE OFFICIAL

  
\_\_\_\_\_  
Frank Martinez, Fire Official

### APPEAL RIGHTS-EXTENSIONS

See the attached page of information concerning your administrative appeal rights, authorized penalties and the procedure for requesting an extension of time in which to correct violations.

\_\_\_\_\_  
Signature of Owner or Representative

\_\_\_\_\_  
Printed Name of Owner or Representative

\_\_\_\_\_  
Date

### ADDITIONAL EXPLANATION

Violation #01: Means of egress must be Safe and Operable

SECTION 1027 MEANS OF EGRESS FOR EXISTING BUILDINGS

1027.1 Means of Egress. Means of egress conforming to the requirements of the building code under which they were constructed shall be considered as complying means of egress if, in the opinion of the fire code official, they do not constitute a distinct hazard to life.

1027.2 Deleted.

1027.3 Deleted.

1027.4 Deleted.

1027.5 Deleted.

1027.6 Deleted.

1027.7 Deleted.

1027.8 Deleted.

1027.9 Deleted.

1027.10 Deleted.

1027.11 Deleted.

1027.12 Deleted.

1027.13 Deleted.

1027.14 Deleted.

1027.15 Deleted.

1027.16 Deleted.

1027.17 Deleted.

1027.18 Deleted.

1027.19 Deleted.

1027.20 Deleted.

Violation #02: Fire Alarm System Test required as per NFPA 72 requirements wit

907.20.2 Testing. Testing shall be performed in accordance with the schedules in Chapter 10 of NFPA 72 or more frequently where required by the fire code official. Where automatic testing is performed at least weekly by a remotely



- level of exit discharge.
- 3) Group E.
- 4) Group H.
- 5) Group I.
- 6) Group R-1.
- 7) Group R-2 college and university buildings.
- 8) Therapeutic residences of Group R-2, R-3 and R-4.
- 9) High-rise buildings.
- 10) Group M buildings having an occupant load of 500 or more persons or more than 100 persons above or below the lowest level of exit discharge.
- 11) Covered malls exceeding 50,000 square feet (4645 m2) in aggregate floor area.
- 12) Underground buildings.
- 13) Buildings with an atrium and having an occupancy in Group A, E or M.
- 14) Casinos.
- 15) Flammable liquid terminals.
- 16) Adult and child day care facilities.
- 17) Group overnight stays.

Violation #06: Egress Doors must Open without Special Knowledge or Key

1008.1.8 Door operations. Egress doors shall be readily openable from the egress side without the use of a key or special knowledge or effort.

- 1008.1.8.1 Deleted.
- 1008.1.8.2 Deleted.
- 1008.1.8.3 Deleted.

1008.1.8.4 Bolt locks. Manually operated flush bolts or surface bolts are not permitted.

Exceptions:

- 1) On doors not required for egress in individual dwelling units or sleeping units.
- 2) Where a pair of doors serves a storage or equipment room, manually operated edge- or surface-mounted bolts are permitted on the inactive leaf.

1008.1.8.5 Deleted.

1008.1.8.6 Deleted.

1008.1.8.7 Stairway doors. Interior stairway means of egress doors shall be openable from both sides without the use of a key or special knowledge or effort.

Exceptions:

- 1) Stairway discharge doors shall be openable from the egress side and shall only be locked from the opposite side.
- 2) This section shall not apply to doors arranged in accordance with Section 403.12 of the building subcode of the Uniform Construction Code.
- 3) In stairways serving not more than four stories,

### ADMINISTRATIVE APPEAL RIGHTS

#### GENERAL

YOU MAY CONTEST THESE ORDERS BY FILING AN APPEAL. The request for a hearing must be made in writing within 15 DAYS after receipt of this order and addressed to:

Hudson County Construction Board of Appeals  
Office of the County Engineer  
Meadowview Campus, 595 County Avenue  
Secaucus, New Jersey 07094  
201-558-7020

Copy to: Bureau of Fire Safety  
Dept. of Public Safety  
428 60th Street Room 23  
West New York, New Jersey 07093  
Phone: (201) 295-5220

In accordance with the rules promulgated under the Administrative Procedure Act (NJSA 52:148-1 et. seq. and 52:14F-1 et. seq.) an appeal request must sufficiently identify the decision or action you wish to appeal, and the specific reasons forming the basis for your dispute, in order that a decision may be made as to whether your appeal constitutes a contested case.

You are advised that only matters deemed to be CONTESTED CASES, as defined by the Administrative Procedures Act, will be scheduled for a Hearing. If a hearing is scheduled, you will be notified in advance of the time and place.

You are also advised that the appeal to the Construction Board of Appeals must be accompanied by the fee of \$100.00; payable to Hudson County Construction Board of Appeals.

At a hearing, a corporation may be represented only by a licensed attorney, unless prior approval is given by the Office of Administrative Law.

#### EXTENSIONS

If a specified time has been given to abate a violation, YOU MAY REQUEST AN EXTENSION OF TIME by submitting a WRITTEN request to the TOWN OF WEST NEW YORK BUREAU OF FIRE SAFETY. To be considered, the request must be made before the compliance date specified and must set forth the work accomplished, the work remaining, the reason why an extension of time is necessary, and the date by which all work will be completed.

TAKE NOTICE THAT, pursuant to N.J.A.C. 5:70-2.10(d), an application for an extension constitutes an admission that the violation notice is factually and procedurally correct, and that the violations do or did exist. In addition, the request for an extension constitutes a waiver of the right to a hearing as to those violations for which an extension is applied.

#### PENALTIES

Violation of the Code is punishable by monetary penalties of not more than \$5,000 PER DAY FOR EACH VIOLATION. Each day a violation continues is an additional, separate violation except while an appeal is pending. Specific penalties are as follows:

- a. Failure to install required protection equipment after having been given written notice of the requirement to do so: A maximum of \$ 2,500 per violation per day.
- b. Failure to abate any violation after having been given notice of the violation: A maximum of \$ 5,000 per violation per day.
- c. Storage of any material in violation of this Code or the conduct of any process in violation of the Code: A maximum of \$ 5,000 per violation per day.
- d. Blocking, locking, or obstructing required exits:
  - i. In a place of public assembly: A maximum of \$ 5,000 per occurrence.
  - ii. In any other place: A maximum of \$ 2,500 per occurrence.
- e. Disabling or vandalizing any fire suppression or alarm device or system.
  - i. In a place of public assembly: A maximum of \$ 5,000 per occurrence.
  - ii. In any other place: A maximum of \$ 1,000 per occurrence.
- f. Failure to obey a Notice of Imminent Hazard and Order to Vacate: A maximum of \$ 5,000 per day for each day that the failure continues.
- g. Failure to obey an Order to Close for a fixed period of time: A Maximum of \$ 5,000 per day that the failure continues.
- h. Obstructing the entry into a premises or interfering with the duty of an authorized inspector: A maximum of \$ 2,500 for each occurrence.
- i. Any willfully false application for a Permit or Registration: A maximum of \$ 1,000.00 for each occurrence.
- j. Any other act or omission prohibited by the Act or the Regulations: A maximum of \$ 5,000 per violation per day.

Claims arising out of penalty assessments can be compromised or settled if it shall be likely to result in compliance. Moreover, no such disposition can be finalized while the violation continues to exist.

Any penalties assessed are in addition to others previously assessed. Penalties must be paid in full within 30 days after an order to pay. If full payment is not made within 30 days, the matter will be referred to the Town Attorney for summary collection pursuant to the Penalty Enforcement Law (N.J.S.A. 2A:58-10 et. seq.).

NOTICE: If you require guidance or advice concerning your legal rights, obligations or the course of action you should follow, consult your own advisor.



**West New York Health Department**

428 - 60th Street, Room 30  
West New York, N.J. 07093  
(201) 295-5070 Fax (201) 295-0769

**Felix Roque, M.D.**  
Mayor

**Vincent A. Rivelli, M.S.**  
Health Officer

**Dr. Gina Miranda-Diaz, DNP, MPH, RN**  
Director

**Maria Alvarez**  
Registrar of Vital Statistics

Memorandum To: Town Clerk's Office  
Attn: Carmela Ricci

From: Health Department


Date: 12-5-14

Re: 0029 HERSHMAN  
W.N.Y.

Tracking No: 5440

RECEIVED  
2014 DEC -5 A 10:02  
TOWN CLERK'S OFFICE  
WEST NEW YORK, N.J.

The Health Dept. has 2 complaint's regarding this address.

  
John J Fuksa

Public Health Inspector



Caridad Rodriguez  
Public Safety

# POLICE DEPARTMENT WEST NEW YORK, N.J. 07093



Robert Antolos  
Police Director

**To:** Director Robert Antolos  
**From:** Lt. Monica Ramos  
**Date:** December 11, 2014  
**Subject:** OPRA 5440

---

Sir,

Attached please find the police reports from November 1, 2014, to December 11, 2014, for 6029 Hudson Ave. as per Mr. John Heinis' OPRA request.

Respectfully submitted,

Lt. Monica Ramos

RECEIVED  
2014 DEC 11 A 11: 12  
TOWN CLERK'S OFFICE  
WEST NEW YORK, N.J.

# WEST NEW YORK POLICE OPERATION REPORT

1. COMPLAINANT NUMBER I-2014-033929		2. NATURE OF INCIDENT REQUEST ASSISTANCE			3. Date 11/25/2014	4. TIME 13:19	5. CLASSIFICATION				
6. VICTIM - <input type="checkbox"/> COMPLAINANT - <input type="checkbox"/> ACCUSED - <input checked="" type="checkbox"/> LAST NAME INFANTILE				FIRST NAME JARDIN			MI	DOB			
7. ADDRESS 6029 HUDSON AVENUE		UNIT TYPE	UNIT #	CITY WEST NEW YORK		STATE NJ	ZIP 07093	8. PHONE			
9. LOCATION OF INCIDENT 6029 HUDSON AVENUE, WEST NEW YORK NJ 07093											
10. REPORTED BY (LAST NAME) PREVENTION				FIRST NAME WNY			MI FIRE	RADIO <input type="checkbox"/>	PHONE <input type="checkbox"/>	VIEW <input type="checkbox"/>	OTHER <input type="checkbox"/>
11. ADDRESS 428 60TH STREET		UNIT TYPE	UNIT #	CITY WEST NEW YORK		STATE NJ	ZIP 07093	12. PHONE			
13. WITNESS - OTHER - AGENCY (LAST NAME) REAL				FIRST NAME DANESSA			MI	TIME NOTIFIED		DOB	
14. ADDRESS 428 60TH STREET		UNIT TYPE	UNIT #	CITY WEST NEW YORK		STATE NJ	ZIP 07093	PHONE			
15. ACTION TAKEN  TODAY ON NOVEMBER 25 2014 I PO. E. ALVAREZ RESPONDED TO THE ABOVE ADDRESS TO MEET WITH THE FIRE PREVENTION DEPT. INSPECTOR. UPON ARRIVAL THE INSPECTOR SERVED THE OWNER (LORENA) WITH AN ORDER WHICH CLOSES THE BUSINESS ON THIS DATE AT MIDNIGHT. THE REASON STATED IS THAT THE DAY CARE HAS SEVERAL VIOLATIONS AND IS CONSIDERED A IMMINENT HAZARD. THE BUSINESS IS NOT TO OPEN UNTIL ARRIVED BY THE STATE AND FIRE PREVENTION DEPTS. NOTHING FURTHER AT THIS TIME.											
16. REPORTING OFFICER OFFICER ALVAREZ, ELVIS SIGNATURE _____			17. BADGE # 174	18. HOURS 15:18	19. DATE 11/25/2014	20. REVIEWED LIEUTENANT SANCHEZ,		21. PENDING	22. COMPLETED		

# WEST NEW YORK POLICE OPERATION REPORT

1. COMPLAINANT NUMBER I-2014-035409		2. NATURE OF INCIDENT FIRE ALARM			3. Date 12/09/2014	4. TIME 19:43	5. CLASSIFICATION				
6. VICTIM - <input type="checkbox"/> COMPLAINANT - <input type="checkbox"/> ACCUSED - <input type="checkbox"/> LAST NAME				FIRST NAME			MI	DOB			
7. ADDRESS		UNIT TYPE	UNIT #	CITY		STATE	ZIP	8. PHONE			
9. LOCATION OF INCIDENT 6029 HUDSON AVENUE, WEST NEW YORK NJ 07093											
10. REPORTED BY (LAST NAME)				FIRST NAME			MI	RADIO <input type="checkbox"/>	PHONE <input type="checkbox"/>	VIEW <input type="checkbox"/>	OTHER <input type="checkbox"/>
11. ADDRESS		UNIT TYPE	UNIT #	CITY		STATE	ZIP	12. PHONE			
13. WITNESS - OTHER - AGENCY (LAST NAME)				FIRST NAME			MI	TIME NOTIFIED		DOB	
14. ADDRESS		UNIT TYPE	UNIT #	CITY		STATE	ZIP	PHONE			
15. ACTION TAKEN  ON THE ABOVE DATE AND TIME I PO CADENA RESPONDED TO A REPORT OF A FIRE ALARM.  UPON ARRIVAL I MET WITH NORTH HUDSON FIRE DEPARTMENT AND THEY STATED THAT THE ENTIRE PREMISES WERE CHECKED AND CLEARED OF SMOKE AND FIRE.  NORTH HUDSON FIRE DEPARTMENT STATED THAT IT WAS ONLY AN ALARM OFF SET.  NO FURTHER POLICE ACTION TAKEN.											
16. REPORTING OFFICER OFFICER CADENA, MARIO A. SIGNATURE _____				17. BADGE # 241	18. HOURS 20:33	19. DATE 12/09/2014	20. REVIEWED LIEUTENANT RAMOS,		21. PENDING	22. COMPLETED	

## ADELINNY PLAZA

---

**From:** KIMBERLY O'MALLEY  
**Sent:** Thursday, December 11, 2014 11:46 AM  
**To:** CARMELA RICCIE  
**Cc:** LISA WALSH; ADELINNY PLAZA; Town Clerk  
**Subject:** OPRA 5440

Carmela:

Please be advised that with regards to the above referenced OPRA request, the building department has no information responsive to this request.

This concludes this request. Should you require additional information, please let me know.

Very truly yours,

*Kimberly O'Malley*

KIMBERLY O'MALLEY  
Technical Assistant to Construction Official  
Town of West New York  
Code Enforcement  
428 60<sup>th</sup> Street, Room 27  
West New York NJ 07093  
201-295-5179

The information contained in this email message is intended only for the confidential use of the recipient(s) named above. this message is privileged and confidential. If the reader of this message is not the intended recipient or an agent responsible for delivering it to the intended recipient, YOU ARE HEREBY NOTIFIED that you have received this document in error and that any review, dissemination, distribution, or copying of this message is strictly prohibited. If you have received this communication in error, please notify us immediately by email and delete the original message.